

Retail Pricing  
Pricing subject to change without notice.

-

Model	Description
R2-4300-ST	REAR I/O MODULE FOR HD-4300 OPENGEAR CARDS
A-VS16	DESKTOP BRACKET WITH TILTING FUNCTION FOR DT-N17F / DT-X16H
A-VS22	DESKTOP BRACKET WITH TILTING FUNCTION FOR DT-N21F/DT-N24F/DT-X21H/DT-X24H
RP-VDA-STD	REAR I/O MODULE FOR VDA-2419
SMX-100	AZDEN STEREO SHOTGUN MICROPHONE FOR GY-HC900
VDA-2419	3G/HD/SD DISTRIBUTION AMPLIFIER CARD
WB-MAP100A	WIRELESS BRIDGE MOBILE ACCESS POINT

### Camcorders - Lenses & Accessories

Model	Description
XA20SX85BERM	Fujinon 20:1 Zoom Lens with 2x Extender (2/3") - Focal length: 1x 8.5-170mm, 2x 17-340mm
XT17SX45BMD	Fujinon 17:1 Remote Zoom/Focus Lens (1/3") - Focal length: 4.5 to 77mm
XT20sx47BRM	Fujinon 20:1 ENG Zoom Lens (1/3") - Focal length: 4.7 to 94mm
KT14X44KRS	Canon 14:1 HDgc Zoom Lens (1/3")
HZ-HM600VZR	Remote Lens Control for GY-HM600U, GY-HM650U - Plugs into the 2.5mm remote (LAN-C/Control-L) connector on the camera, and is ideal when operating the camcorder using a tripod, jib, crane or boom (a 2.5mm extension cable may be required depending on distances from camcorder) - Zoom is achieved via a wide sweep variable rocker control - Focus is on the right side and is a rocker style control for manual focus - Iris control is achieved through two separate controls to either increase or decrease the lens iris - On the top right is the "R" button to manually control record start / stop function
HZ-HM800VZRKIT	VARIZOOM REAR CONTROL KIT FOR FUJINON 20X AF LENS
MS-11	Fujinon Focus & Zoom Servo Kit
HZ-ZS13U	Servo Zoom Control
I-705DX	2-STAGE TRIPOD w/11lb. PAYLOAD
CS-482M	Tripod - Two-Stage with 11 lb. Payload Includes: Mid Level Spreader, 2x Handles, Carrying Case
HZ-FM13U	Manual Focus Control for Fujinon Lenses

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)

Pricing subject to change without notice.

Model	Description
HZ-FM15U	Manual Focus Control for Canon Lenses
HM600WC8X72HU	0.8x Wide Angle Converter for GY-HM600U, GY-HM650U, GY-HM850, GY-HM790 - 72mm threading - Includes: Sunshade hood
ACM-17	2/3" Lens Mount Converter - Allows standard 2/3" lenses to be used with 1/3" bayonet mount camcorders

### Camcorders - Tripds & Adapters

Model	Description
KA-551U	Tripod Adapter
ACEXLFT75	SACHTLER TRIPOD SYSTEM
Ace-LMSCF	Sachtler Carbon Fiber Tripod with Fluid Head, Mid-level Spreader and Carry Bag

-

Model	Description
QAN0067-003	Mic Kit

### Camcorders - AC Adapters, Chargers & Batteries

Model	Description
VL-2PLUS	IDX 2-Channel Sequential Quick Charger with 60W AC Adaptor - Includes: CA4XLR Power Supply Cable
JVC-PV	IDX ENDURA V-Mount Battery Plate with Two-Pin D-Tap DC Output and Digi-View - Custom Version for JVC ProHD GY-HM200 and GY-HM700 Series Camcorders
SSL-JVC50	IDX Lithium Ion Battery for GY-HMQ10, GY-HM600, GY-HM650 - 7.4 V / 4900mAh / 37 Wh
SSL-JVC75	IDX Lithium Ion Battery for GY-HM600, GY-HM650, GY-HMQ10, DT-X Monitors - 7.4 V / 7.35Ah / 55 Wh
LC-2J	2-Channel Battery Charger for SSL-JVC50
TC-200-JVC600-TDM	Dual Turbo Charger with Discharge Feature for SSL-JVC50, SSL-JVC75 - Fast, safe and Simultaneous charge for up to 2 batteries at a time - Includes charge-discharge-charge test mode.
TC-200-JVC600	Dual Turbo Charger for SSL-JVC50, SSL-JVC75 - Fast, safe and Simultaneous charge for up to 2 batteries at a time

Starin is your Supply Partner. To place you order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)

Pricing subject to change without notice.

Model	Description
TC-400-JVC650	Quad Battery Turbo Charger for SSL-JVC50 <ul style="list-style-type: none"> <li>- Digital LCD display indicates the battery pack capacity, if fully discharged before insertion</li> <li>- Each of the 4 channels is fully independent, batteries can be inserted/removed at any time</li> <li>- Worldwide 100-240V AC or 12V DC car power</li> </ul>
TC-400-JVC650-TDM	Quad Battery Turbo Charger for SSL-JVC50 (Test-Discharge Model) <ul style="list-style-type: none"> <li>- Digital LCD display indicates the battery pack capacity, if fully discharged before insertion</li> <li>- Each of the 4 channels is fully independent, batteries can be inserted/removed at any time</li> <li>- A built-in Battery Test/Discharge Module cycles the pack through charge-discharge-charge, reports true capacity as tested</li> <li>- Worldwide 100-240V AC or 12V DC car power</li> </ul>
AA-S3602I	2 Channel AC Adapter / Battery Charger for BN-S8I50, SSL-JVC50 <ul style="list-style-type: none"> <li>- Capable of powering up to 2 JVC camcorders or DT-X series monitors</li> </ul>
DIONICXT90GM	ANTON-BAUER DIONIC XT90 GOLD MOUNT BATTERY
BN-S8823	Lithium Ion Battery for GY-HM100, GY-HM150, GY-HM70 <ul style="list-style-type: none"> <li>- 7.2 V / 18.7 Wh</li> <li>- 4-Level LED indicator</li> <li>- 7.2V Pole DC output socket to power camera and other devices simultaneously</li> </ul>
BN-S8I50	7.2V/6.6ah Lithium Ion Battery For Gy-Hm600/650, Dt-X Monitors
AA-S3602V	2-Channel Battery Charger / AC Adapter for BN-S8823
IA-70A	IDX 70W AC ADAPTER POWER SUPPLY
TANDEM70	Anton Bauer 70W AC Power Supply / Charger

### Camcorders - Cases

Model	Description
D-3	DOLLY - HEAVY DUTY w/110 LB. PAYLOAD
D-1	DOLLY - LIGHT DUTY w/66 LB. PAYLOAD
CTC-600BSR	Carry Case with Fitted Raincover for GY-HM600, GY-HM650
CB800	Thermodyne Hard Shipping Case for GY-HM700, GY-HM750, GY-HM790, GY-HM850, GY-HM890 <ul style="list-style-type: none"> <li>- Comes with removable foam inserts for customizing the space to multiple lensing configurations</li> <li>- Has provisions for the KA-551U tripod adapter plate and other accessories such as Anton Bauer and IDX batteries, and Anton Bauer Tandem 70 charger/power supply</li> </ul>
CT-C800BSW	PortaBrace Travel Camera Case for GY-HM790, GY-HM850, GY-HM90 <ul style="list-style-type: none"> <li>- Rigid frame ENG-style camera case with removable off-road wheels designed</li> <li>- The sturdy removable wheel system means there's no need to carry around a trolley</li> <li>- Padded dividers are included help secure the camera and create compartments for accessories</li> <li>- A camera tie-down strap is also included to further secure the camera during transport</li> <li>- A lens pillow is also included to support the camera lens during transportation</li> <li>- 2 large exterior pockets ideal for carrying tablet computers, microphones, cables, spare batteries and other accessories</li> </ul>

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)

Pricing subject to change without notice.

Model	Description
CTC-700BS	Portabrace Soft Case For ProHD Compact Shoulder Cameras - Designed for GY-HD200B, GY-HD250B, GY-HM700U, GY-HM790U, GY-HM860U, GY-HM890U - Will accommodate the camera and mounted accessories including a long lens, IDX or Anton Bauer battery, KA-MR100 - SxS Media Recorder and microphone.
CTC200B **NEW**	Soft Carry Case for Handheld Camcorders

### Camcorders - Accessory

Model	Description
CA-UP600	Wireless Mic Receiver Bracket for GY-HM600U, GY-HM650U - Includes plate and mounting screws
CAXX-0.1P2S-STLC	DUAL LC-to-ST JUMPER CABLE

### Camcorders - Studio CCU Accessories

Model	Description
VC-DHP112MO	Camera/Remote Hybrid Cable (20m)
VC-DHP113MO	Camera/Remote Hybrid Cable (50m)
VC-DHP114MO	Camera/Remote Hybrid Cable (100m)
VC-HP112U	Multicore hybrid cable (20m) without SDI (for RM-HP790DU)
VC-HP113U	Camera/Remote Hybrid Cable for RM-HP790DU (50m)
VC-HP114U	Camera/Remote Hybrid Cable for RM-HP790DU (100m)

### PTZ - Cameras

Model	Description
KY-PZ100BU	ROBOTIC PTZ NETWORK VIDEO PRODUCTION CAMERA (BLACK)
KY-PZ100WU	ROBOTIC PTZ NETWORK VIDEO PRODUCTION CAMERA (WHITE)

### VTRs - Blu-ray Combo

Model	Description
SR-HD1350US	Blu-Ray/DVD Recorder with HDD - HDD Storage: 320GB - Input: Composite, S-Video, FireWire, USB 2.0, SDHC/SDXC (AVCHD) memory cards - Output: Composite, S-Video, Component, HDMI - Recordable Media: BD-R(SL/DL), BD-RE(SL/DL), DVD-R, DVD-RW

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)

Pricing subject to change without notice.

### Monitors & Displays - Field Monitors

Model	Description
DT-V17G25Z	16.5-INCH 10-BIT PRODUCTION FIELD/STUDIO MONITOR
DT-V17G2Z	16.5-INCH BROADCAST FIELD/STUDIO MONITOR
DT-V9L5U	8.2" AC/DC Studio SDI LCD Monitor <ul style="list-style-type: none"> <li>- Resolution: 1280 x 800</li> <li>- Contrast Ratio: 800:1</li> <li>- Brightness: 360cd/m2</li> <li>- Inputs: Composite, Component, HDMI, SDI (SD/HD)</li> <li>- Features: Waveform &amp; vectorscope, Area markers, In-monitor display</li> <li>- Includes AC Adapter</li> </ul>
DT-F9L5U	8.2" AC/DC Studio SDI LCD Monitor/Viewfinder <ul style="list-style-type: none"> <li>- Resolution: 1280 x 800</li> <li>- Contrast Ratio: 800:1</li> <li>- Brightness: 360cd/m2</li> <li>- Inputs: Composite, Component, HDMI, SDI (SD/HD)</li> <li>- Features: Focus assist, Waveform &amp; vectorscope, Area markers, In-monitor display</li> <li>- Includes Anton/Bauer battery plate</li> </ul>
DT-N21F	ProHD 21.5-INCH BROADCAST STUDIO LCD MONITOR
DT-N17F	ProHD 17.3-INCH BROADCAST STUDIO LCD MONITOR
DT-N24F	ProHD 23.8-INCH BROADCAST STUDIO LCD MONITOR
DT-N17H	ProHD 17.3-INCH STUDIO/FIELD LCD MONITOR
DT-N21H	ProHD 21.5-INCH BROADCAST STUDIO LCD MONITOR
DT-N24H	ProHD 23.8-INCH STUDIO LCD MONITOR
DT-X71FI	7" AC/DC Studio SDI LCD Monitor <ul style="list-style-type: none"> <li>- Resolution: 1024 x 600</li> <li>- Contrast Ratio: 900:1</li> <li>- Brightness: 400cd/m2</li> <li>- Inputs: Composite, HDMI, SDI (3G/SD/HD)</li> <li>- Features: Waveform &amp; vectorscope, Focus Assist, Audio Monitor</li> </ul>
DT-X71HP	ProHD 7-in HD/C2K PORTABLE LCD MONITOR (HD-SDI, HDMI, COMPOSITE)

### Monitors & Displays - Studio Monitors

Model	Description
DT-V21G2Z	21.5-INCH BROADCAST FIELD/STUDIO MONITOR

### Monitors & Displays - Rackmounting Kits

Model	Description
RAK21LCDEV	Rack Mount Kit for DT-V21G11Z, DT-E21L4U

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)

Pricing subject to change without notice.

Model	Description
RAK24DTN	RACK MOUNT KIT FOR 24-INCH DTN SERIES ProHD MONITORS
RAK21LCDG2	RACK MOUNT KIT FOR DT-V21G2Z
RAK24LCDG2	RACK MOUNT KIT FOR DT-V24G2Z
RAK2024LCD	Rack Mount Kit for DT-V20L1, DT-V20LD1, DT-V20L3GZ, DT-V24L1, DT-V24LD1, DT-V24G11Z, DT-R24L4U
RAK17LCDGS	Rack Mount Kit for DT-V17G1Z, DT-E17L4GU
RAK15LCD	Rack Mount Kit for DT-E15L4U
RAK92LCD2	Rack Mount Kit for 2x DT-V9L5U
RAK72LCD	Rack Mount Kit for DT-X71C, DT-X71H, DT-X71F - Accommodates 1 or 2 monitors

### Monitors & Displays - Accessories

Model	Description
ADPV16	AC Power Adapter For DT-F9I5U - 12 VDC (3.0A) via 4-pin XLR - Does NOT charge any battery that may be attached to monitor
DT-X91CASE	Monitor Case for DT-X91C, DT-X91H, DT-X91F
HOOD17LCD	Monitor Hood for DT-V17LxDU Series
DT-TS100	Deluxe LCD Monitor Stand

### Monitors & Displays - Studio Monitors

Model	Description
DT-X92HX2	Affordable 3-in-1 monitor Triple 5" Rack Display Monitor
DT-X92H	8.9" AC/DC Portable Monitor Full HD 3GSDI, HDMI (Gold Mount, IDX50 plate, S-7104 cable included)
DT-X93H	ProHD 9-INCH FULL HD 3GSDI & HDMI LCD MONITOR
DT-X93HX2	ProHD DUAL 9-IN RACK DISPLAY MONITOR (3G-SDI, HDMI, COMPOSITE)
DT-E17L4GU	17" AC/DC Studio LED/LCD Monitor - Resolution: 1920 x 1080 - Inputs: Composite, Component, Analog RGB, HDMI, HD/SD-SDI - Outputs: Composite, HD/SD-SDI - Features: Mercury-free LED backlight, 16-channel embedded audio with level indicator, Area/Center / Safety marker, LTC & VITC time code support

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)

Pricing subject to change without notice.

### Monitors & Displays - Option Cards

Model	Description
J-805MX	SINGLE STAGE TRIPOD w/11lb. PAYLOAD

### Cameras & Camcorders - Switchers

Panasonic's compact, multi-format HD/SD and SD switchers seamlessly integrate into your existing workflow and are perfect for the demands of sports, events, education, production and more.

Model	Description
KM-IP4000	ProHD STUDIO 4000 - LIVE PRODUCTION AND STREAMING STUDIO
KM-IP4000S	ProHD STUDIO 4000S - SPORTS PRODUCTION AND STREAMING STUDIO

### Cameras & Camcorders - SD Camcorders

Model	Description
GY-HC500SPC <b>**NEW**</b>	SPORTS PRODUCTION & COACHINGCONNECTED CAM&trade; 1-INCAMCORDER
GY-HC900CHU	CONNECTED CAM 2/3-IN BROADCAST CAMCORDER (LESS LENS)
GY-HC900C20	CONNECTED CAM 2/3-IN BROADCAST CAMCORDER W/CANON 20X LENS
GY-HC900F20	CONNECTED CAM&trade; 2/3-IN BROADCAST CAMCORDER W/FUJINON 20X LENS
GY-HC500 <b>**NEW**</b>	HAND-HELD CONNECTED CAM&trade; 1-INCAMCORDER
GY-HC550 <b>**NEW**</b>	HAND-HELD CONNECTED CAM&trade; 1-IN BROADCAST CAMCORDER
GY-HC900STU <b>**NEW**</b>	CONNECTED CAM&trade; 2/3-IN STUDIO CAMCORDER (LESS LENS)
GYHC900STC20 <b>**NEW**</b>	2/3-IN STUDIO CAMERA PACKAGE W/CANON 20X LENS
GYHC900STF20 <b>**NEW**</b>	2/3-IN STUDIO CAMERA PACKAGE W/FUJINON 20X LENS

### Cameras & Camcorders - Viewfinders & Accessories

Model	Description
SAK-LCD7	VIEWFINDER BRACKET FOR THE DT-X73F MONITOR

### Cameras & Camcorders - AC Adapters, Chargers & Batteries

Model	Description
P-22MX	2-STAGE TRIPOD w/13 lb. PAYLOAD
P2418HT	24" Touchscreen Monitor
PANBARDVL	SACHTLER TRIPOD HEADE TELESCOPIC PAN BAR (LEFT)
AB-DIONICXT-PKG	ANTON BAUER DIONIC XT 90BATTERY & CHARGER

Pricing subject to change without notice.

### Monitors & Displays - Basic AV / Computer Monitor

Model	Description
MB_EF-m43-BM1 Order SKU #MBEFM43BM1	METABONES LENS ADAPTER (CANON EF to MFT)
MB_NFG-m43-BM1 Order SKU #MBNFGM43BM1	METABONES LENS ADAPTER (NIKON G to MFT)
MB_PL-m43-BM1 Order SKU #MBPLM43BM1	METABONES LENS ADAPTER (PL to MFT)

### Monitors & Displays - Professional HDTV Monitors

Model	Description
DT-V24G2Z	24-INCH 10-BIT STUDIO MONITOR

### Monitors & Displays - AC Adapters, Chargers & Batteries

Model	Description
A-RK22	RACK MOUNT FOR DT-X21H

-

Model	Description
WMPZ100B	WALL MOUNT BRACKET KIT FOR KY-PZ100B (BLACK)
WMPZ100W	WALL MOUNT BRACKET KIT FOR KY-PZ100W (WHITE)