

Retail Pricing
Pricing subject to change without notice.

Camcorders - HD Camcorders

Model	Description
GY-HM170U	1/2.3" CMOS 4K ProHD Camcorder (12x integrated lens) - Resolution: 3840x2160 - Recording mode: 4K (60p, 24p), 1080 (60p), 480i - Records to SDHC/SDXC memory cards - Output: HDMI
GY-HM200SP	SPORTS PRODUCTION STREAMING CAMCORDER
GYHM200SCOREBOT	GYHM200SP Sports Production Camcorder andScorebot4100 Scoreboard Interface Unit
GY-HM200U	1/2.3" CMOS 4K ProHD Camcorder (12x integrated lens, Live Stream capable) - Resolution: 3840x2160 - Recording mode: 4K (60p, 24p), 1080 (60p), 480i - Records to SDHC/SDXC memory cards - Output: SDI, HDMI
GY-LS300CHU/Model Name #GY-LS300	Super 35mm 13.5 Mpixel CMOS 4K ProHD Camcorder (No lens, Live Stream capable) - Resolution: 3840x2160 - Recording mode: 4Kp, 1080 (60p, 60i, 30p, 24p), 480i - Records to SDHC/SDXC memory cards - Output: SDI, HDMI
HD-4300-OGFTX50	3-CHANNEL 3G-SDI VIDEO OPENGear TRANSMITTER CARD
HD65U	HAWKING USB WI-FI NETWORK ADAPTER
GY-HM620U	ProHD HANDHELD CAMCORDER
GY-HM660U	ProHD MOBILE NEWS CAMERA

-

Model	Description
R2-4300-ST	REAR I/O MODULE FOR HD-4300 OPENGear CARDS
A-VS16	DESKTOP BRACKET WITH TILTING FUNCTION FOR DT-N17F / DT-X16H
A-VS22	DESKTOP BRACKET WITH TILTING FUNCTION FOR DT-N21F/DT-N24F/DT-X21H/DT-X24H

Pricing subject to change without notice.

Camcorders - HD Camcorders

Model	Description
GY-HM850U	1/3" 3MOS ProHD Dual Codec Camcorder (Fujinon 20x Lens) <ul style="list-style-type: none"> - Lens: 20x Auto Focus Zoom lens - Resolution: 1920x1080 - Recording mode: 1080 (60p/60i), 720 (60i) - Can record and stream simultaneously - Records to SDHC/SDXC - Output: Composite, Component, SDI (3G), HDMI
GY-HM850F20\ Model Name #GY-HM850U	1/3" 3MOS ProHD Dual Codec Camcorder (Fujinon XT20SX47BRM Lens) <ul style="list-style-type: none"> - Lens: 20x Zoom lens - Resolution: 1920x1080 - Recording mode: 1080 (60p/60i), 720 (60i) - Can record and stream simultaneously - Records to SDHC/SDXC - Output: Composite, Component, SDI (3G), HDMI
GY-HM850L17 Order SKU #GYHM850L17\ JVC\ Model Name #GY-HM850U	1/3" 3MOS ProHD Dual Codec Camcorder (Fujinon XT17sx45BRMK3 Lens) <ul style="list-style-type: none"> - Lens: 17x Zoom lens - Resolution: 1920x1080 - Recording mode: 1080 (60p/60i), 720 (60i) - Can record and stream simultaneously - Records to SDHC/SDXC - Output: Composite, Component, SDI (3G), HDMI
GY-HM850F18\ Model Name #GY-HM850U	1/3" 3MOS ProHD Dual Codec Camcorder (Fujinon 18x Lens) <ul style="list-style-type: none"> - Lens: 18x Zoom lens - Resolution: 1920x1080 - Recording mode: 1080 (60p/60i), 720 (60i) - Can record and stream simultaneously - Records to SDHC/SDXC - Output: Composite, Component, SDI (3G), HDMI
GY-HM850F18E\ Model Name #GY-HM850U	1/3" 3MOS ProHD Dual Codec Camcorder (Fujinon 18x Lens w/ 2x Extender) <ul style="list-style-type: none"> - Lens: 18x Zoom lens - Resolution: 1920x1080 - Recording mode: 1080 (60p/60i), 720 (60i) - Can record and stream simultaneously - Records to SDHC/SDXC - Output: Composite, Component, SDI (3G), HDMI

-

Model	Description
RP-VDA-STD	REAR I/O MODULE FOR VDA-2419

Pricing subject to change without notice.

Camcorders - HD Camcorders

Model	Description
GY-HM850C14\Model Name #GY-HM850U	1/3" 3MOS ProHD Dual Codec Camcorder (Canon KT14x44KRS Lens) <ul style="list-style-type: none"> - Lens: 14x Zoom lens - Resolution: 1920x1080 - Recording mode: 1080 (60p/60i), 720 (60i) - Can record and stream simultaneously - Records to SDHC/SDXC - Output: Composite, Component, SDI (3G), HDMI
CINE DS24-MFT	24MM T1.5 Cine Lens
CINE DS35-MFT	35MM T1.5 Cine Lens
CINE DS50-MFT	50MM T1.5 Cine Lens
CINE DS85-MFT	85MM T1.5 Cine Lens
CINE DS135-MFT	135MM T2.2 Cine Lens
GY-HM850CHU\Model Name #GY-HM850U	1/3" 3MOS ProHD Dual Codec Camcorder (No Lens) <ul style="list-style-type: none"> - Resolution: 1920x1080 - Recording mode: 1080 (60p/60i), 720 (60i) - Can record and stream simultaneously - Records to SDHC/SDXC - Output: Composite, Component, SDI (3G), HDMI
GY-HM890U	1/3" 3MOS ProHD Dual Codec Studio Camcorder (Fujinon 20x Lens) <ul style="list-style-type: none"> - Lens: 20x Auto Focus Zoom lens - Resolution: 1920x1080 - Recording mode: 1080 (60p/60i), 720 (60i) - Can record and stream simultaneously - Records to SDHC/SDXC - Input: SDI for press feeds - Output: Composite, Component, SDI (3G), HDMI
GY-HM890F20\Model Name #GY-HM890U	1/3" 3MOS ProHD Dual Codec Studio Camcorder (Fujinon XT20sx47BRM Lens) <ul style="list-style-type: none"> - Lens: 20x Zoom lens - Resolution: 1920x1080 - Recording mode: 1080 (60p/60i), 720 (60i) - Can record and stream simultaneously - Records to SDHC/SDXC - Input: SDI for press feeds - Output: Composite, Component, SDI (3G), HDMI
GY-HM890L17\Model Name #GY-HM890U	1/3" 3MOS ProHD Dual Codec Studio Camcorder (Fujinon XT17sx45BRMK3 Lens) <ul style="list-style-type: none"> - Lens: 17x Zoom lens - Resolution: 1920x1080 - Recording mode: 1080 (60p/60i), 720 (60i) - Can record and stream simultaneously - Records to SDHC/SDXC - Input: SDI for press feeds - Output: Composite, Component, SDI (3G), HDMI

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
GY-HM890F18\Model Name #GY-HM890U	1/3" 3MOS ProHD Dual Codec Studio Camcorder (Fujinon 18x Lens) <ul style="list-style-type: none"> - Lens: 18x Zoom lens - Resolution: 1920x1080 - Recording mode: 1080 (60p/60i), 720 (60i) - Can record and stream simultaneously - Records to SDHC/SDXC - Input: SDI for press feeds - Output: Composite, Component, SDI (3G), HDMI
GY-HM890F18E\Model Name #GY-HM890U	1/3" 3MOS ProHD Dual Codec Studio Camcorder (Fujinon 18x Lens with 2x Extender) <ul style="list-style-type: none"> - Lens: 18x Zoom lens - Resolution: 1920x1080 - Recording mode: 1080 (60p/60i), 720 (60i) - Can record and stream simultaneously - Records to SDHC/SDXC - Input: SDI for press feeds - Output: Composite, Component, SDI (3G), HDMI
GY-HM890C14\Model Name #GY-HM890U	1/3" 3MOS ProHD Dual Codec Studio Camcorder (Canon KT14x44KRS Lens) <ul style="list-style-type: none"> - Lens: 14x Zoom lens - Resolution: 1920x1080 - Recording mode: 1080 (60p/60i), 720 (60i) - Can record and stream simultaneously - Records to SDHC/SDXC - Input: SDI for press feeds - Output: Composite, Component, SDI (3G), HDMI

-

Model	Description
VDA-2419	3G/HD/SD DISTRIBUTION AMPLIFIER CARD

Camcorders - HD Camcorders

Model	Description
GY-HM890CHU\Model Name #GY-HM890U	1/3" 3MOS ProHD Dual Codec Studio Camcorder (No Lens) <ul style="list-style-type: none"> - Resolution: 1920x1080 - Recording mode: 1080 (60p/60i), 720 (60i) - Can record and stream simultaneously - Records to SDHC/SDXC - Input: SDI for press feeds - Output: Composite, Component, SDI (3G), HDMI

-

Model	Description
WB-MAP100A	WIRELESS BRIDGE MOBILE ACCESS POINT

Pricing subject to change without notice.

Camcorders - Viewfinders & Accessories

Model	Description
VF-HP790G	8.4" LCD Studio Viewfinder - Display: Supports YPbPr input of HD (1080i 50/60, 720p 50/60) and SD (480i 60, 576i 50) - Input: In addition to the camera's viewfinder image, SDI image can be input to this viewfinder - Features: Equipped with Safety Zone display, two types of Zebra display and Focus Assist function, all of which are highly useful in the studio - Menu: You can display the menu on the screen to set or adjust the most appropriate monitor settings for the connecting system
SA-K800	Mounting Bracket for VF-HP790G to GY-HM850, GY-HM890 Series Camcorders

Camcorders - Lenses & Accessories

Model	Description
XT17SX45BMD	Fujinon 17:1 Remote Zoom/Focus Lens (1/3") - Focal length: 4.5 to 77mm
XT17sx45BRMK3	Fujinon 17:1 HD Quick Zoom Lens w/CAC (Chromatic Abberation Compensation)
HTs18X4.2BRM	Fujinon 18:1 HD ENG/EFP Zoom Lens (1/3") - Broadcast quality lens, both in terms of optics and construction quality - Broader zoom range than standard and mid-grade lenses
HTs18X4.2BERM	Fujinon 18:1 HD ENG/EFP Zoom Lens with 2x Extender (1/3") - Focal Length: 4.2-76mm - Broadcast quality lens, both in terms of optics and construction quality - Broader zoom range than standard and mid-grade lenses
XT20sx47BRM	Fujinon 20:1 ENG Zoom Lens (1/3") - Focal length: 4.7 to 94mm
KT14X44KRS	Canon 14:1 HDgc Zoom Lens (1/3")
HZ-HM600VZR	Remote Lens Control for GY-HM600U, GY-HM650U - Plugs into the 2.5mm remote (LAN-C/Control-L) connector on the camera, and is ideal when operating the camcorder using a tripod, jib, crane or boom (a 2.5mm extension cable may be required depending on distances from camcorder) - Zoom is achieved via a wide sweep variable rocker control - Focus is on the right side and is a rocker style control for manual focus - Iris control is achieved through two separate controls to either increase or decrease the lens iris - On the top right is the "R" button to manually control record start / stop function
HZ-HM800VZRKIT	VARIZOOM REAR CONTROL KIT FOR FUJINON 20X AF LENS
MS-11	Fujinon Focus & Zoom Servo Kit
HZ-ZS13U	Servo Zoom Control
I-705DX	2-STAGE TRIPOD w/11lb. PAYLOAD
CS-482M	Tripod - Two-Stage with 11 lb. Payload Includes: Mid Level Spreader, 2x Handles, Carrying Case

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
HZ-FM13U	Manual Focus Control for Fujinon Lenses
HZ-FM15U	Manual Focus Control for Canon Lenses
HM600WC8X72HU	0.8x Wide Angle Converter for GY-HM600U, GY-HM650U, GY-HM850, GY-HM790 - 72mm threading - Includes: Sunshade hood
ACM-17	2/3" Lens Mount Converter - Allows standard 2/3" lenses to be used with 1/3" bayonet mount camcorders

Camcorders - Tripds & Adapters

Model	Description
KA-551U	Tripod Adapter
Ace-LMSCF	Sachtler Carbon Fiber Tripod with Fluid Head, Mid-level Spreader and Carry Bag
ACE-LTT752CF	Sachtler Tripod with Fluid Head and Carry Bag

-

Model	Description
QAN0067-003	Mic Kit

Camcorders - AC Adapters, Chargers & Batteries

Model	Description
VL-2PLUS	IDX 2-Channel Sequential Quick Charger with 60W AC Adaptor - Includes: CA4XLR Power Supply Cable
JVC-PV	IDX ENDURA V-Mount Battery Plate with Two-Pin D-Tap DC Output and Digi-View - Custom Version for JVC ProHD GY-HM200 and GY-HM700 Series Camcorders
SSL-JVC50	IDX Lithium Ion Battery for GY-HMQ10, GY-HM600, GY-HM650 - 7.4 V / 4900mAh / 37 Wh
SSL-JVC75	IDX Lithium Ion Battery for GY-HM600, GY-HM650, GY-HMQ10, DT-X Monitors - 7.4 V / 7.35Ah / 55 Wh
LC-2J	2-Channel Battery Charger for SSL-JVC50
TC-200-JVC600-TDM	Dual Turbo Charger with Discharge Feature for SSL-JVC50, SSL-JVC75 - Fast, safe and Simultaneous charge for up to 2 batteries at a time - Includes charge-discharge-charge test mode.

Pricing subject to change without notice.

Model	Description
TC-200-JVC600	Dual Turbo Charger for SSL-JVC50, SSL-JVC75 - Fast, safe and Simultaneous charge for up to 2 batteries at a time
TC-400-JVC650	Quad Battery Turbo Charger for SSL-JVC50 - Digital LCD display indicates the battery pack capacity, if fully discharged before insertion - Each of the 4 channels is fully independent, batteries can be inserted/removed at any time - Worldwide 100-240V AC or 12V DC car power
TC-400-JVC650-TDM	Quad Battery Turbo Charger for SSL-JVC50 (Test-Discharge Model) - Digital LCD display indicates the battery pack capacity, if fully discharged before insertion - Each of the 4 channels is fully independent, batteries can be inserted/removed at any time - A built-in Battery Test/Discharge Module cycles the pack through charge-discharge-charge, reports true capacity as tested - Worldwide 100-240V AC or 12V DC car power
AA-S3602I	2 Channel AC Adapter / Battery Charger for BN-S8I50, SSL-JVC50 - Capable of powering up to 2 JVC camcorders or DT-X series monitors
BN-S8823	Lithium Ion Battery for GY-HM100, GY-HM150, GY-HM70 - 7.2 V / 18.7 Wh - 4-Level LED indicator - 7.2V Pole DC output socket to power camera and other devices simultaneously
BN-S8I50	7.2v/6.6ah Lithium Ion Battery For Gy-Hm600/650, Dt-X Monitors
AA-S3602V	2-Channel Battery Charger / AC Adapter for BN-S8823
IA-60a	IDX 60W AC Adaptor Power Supply - For use as an external XLR Power Supply Source - With CA4XLR Power Supply Cable
TANDEM70	Anton Bauer 70W AC Power Supply / Charger

Camcorders - Cases

Model	Description
D-3	DOLLY - HEAVY DUTY w/110 LB. PAYLOAD
D-1	DOLLY - LIGHT DUTY w/66 LB. PAYLOAD
CTC-600BSR	Carry Case with Fitted Raincover for GY-HM600, GY-HM650
CB800	Thermodyne Hard Shipping Case for GY-HM700, GY-HM750, GY-HM790, GY-HM850, GY-HM890 - Comes with removable foam inserts for customizing the space to multiple lensing configurations - Has provisions for the KA-551U tripod adapter plate and other accessories such as Anton Bauer and IDX batteries, and Anton Bauer Tandem 70 charger/power supply

Pricing subject to change without notice.

Model	Description
CT-C800BSW	PortaBrace Travel Camera Case for GY-HM790, GY-HM850, GY-HM90 <ul style="list-style-type: none"> - Rigid frame ENG-style camera case with removable off-road wheels designed - The sturdy removable wheel system means there's no need to carry around a trolley - Padded dividers are included help secure the camera and create compartments for accessories - A camera tie-down strap is also included to further secure the camera during transport - A lens pillow is also included to support the camera lens during transportation - 2 large exterior pockets ideal for carrying tablet computers, microphones, cables, spare batteries and other accessories
CTC-700BS	Portabrace Soft Case For ProHD Compact Shoulder Cameras <ul style="list-style-type: none"> - Designed for GY-HD200B, GY-HD250B, GY-HM700U, GY-HM790U, GY-HM860U, GY-HM890U - Will accommodate the camera and mounted accessories including a long lens, IDX or Anton Bauer battery, KA-MR100 — SxS Media Recorder and microphone.

Camcorders - Accessory

Model	Description
ProHD-4601	HDMI to HD/SD-SDI Converter This is an ideal accessory for JVC models that accept HD-SDI but not HDMI inputs (such as the SR-HD2500US) or models that offer HDMI but not HD-SDI outputs (GY-HM100/150) <ul style="list-style-type: none"> - Converts HDMI 1.3 to 3G/HD/SD-SDI with embedded audio - Compatible with HDMI V1.3 and recognizes (and will not pass) signals with HDCP copy protection
CA-UP600	Wireless Mic Receiver Bracket for GY-HM600U, GY-HM650U <ul style="list-style-type: none"> - Includes plate and mounting screws
CAXX-0.1P2S-STLC	DUAL LC-to-ST JUMPER CABLE
BR-DE800	ProHD Decoder <ul style="list-style-type: none"> - Decodes SD and HD MPEG2, MPEG4 H.264 stream - Output: 3G HD-SDI, HDMI, Composite
KA-790G	Camera Studio Sled for GY-HM790U, GY-HM890U

Camcorders - Studio CCU Components

Model	Description
RM-HP790DU	Digital Camera Control Unit <ul style="list-style-type: none"> - Maximum camera cable length: 100m - Output: 1x Component (HD/SD depending on input), 2x SDI (HD/SD), 1x Composite - Input: HD/SD Analog via VC-P110 series cable; HD/SD Digital via VC-HP110 series cable
RM-LP20G	ProHD Remote Control Unit (4 RU) <ul style="list-style-type: none"> - Rack mountable, cost effective remote control for JVC cameras and studio camera control units - Designed to be plugged directly into the GY-HM750, GY-HM790 and GY-HM890 cameras or into JVC's RM-HP790DU Camera Control Unit - Cable length is 5 meters
RM-LP25U	ProHD Local Remote Control for RM-HP250AU <ul style="list-style-type: none"> - Joystick type control for iris and master black adjustments - Control camera directly or via fiber or multicore system

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Camcorders - Studio CCU Accessories

Model	Description
VC-P790RMG	Base Remote Cable for RM-LP25U
RM-LP55U	Camera Remote Control Unit (Hand Held) Control over: - Title setting - White balance - Gamma - M.Black - Shutter - Variable Scan - Zoom / Focus / Iris of lens
KA-M790G	Multicore Studio Connection Module for GY-HM790U, GY-HM890U
VC-DHP112MO	Camera/Remote Hybrid Cable (20m)
VC-DHP113MO	Camera/Remote Hybrid Cable (50m)
VC-DHP114MO	Camera/Remote Hybrid Cable (100m)
VC-HP112U	Multicore hybrid cable (20m) without SDI (for RM-HP790DU)
VC-HP113U	Camera/Remote Hybrid Cable for RM-HP790DU (50m)
VC-HP114U	Camera/Remote Hybrid Cable for RM-HP790DU (100m)

Camcorders - Fiber CCU Packages

Model	Description
FS-900BS1N	MULTIDYNE 2RU TRIPLE INPUT FIBER BASE STATION TRANSCEIVER - NEUTRIK OPTICALCON
FS-900BS1S	MULTIDYNE 2RU TRIPLE INPUT FIBER BASE STATION TRANSCEIVER - SMPTE 304M
FS-900BS1NCAM3	MULTIDYNE 3 CAMERA FIBER BACK PACKAGE PLUS FIBER BASE STATION - NEUTRIK OPTICALCON
FS-900CAM1S	MULTIDYNE CAMERA BACK FIBER TRANSCEIVER - SMPTE 304M
FS-900BS1SCAM3	MULTIDYNE 3 CAMERA FIBER BACK PACKAGE PLUS FIBER BASE STATION - SMPTE 304M
FS-900CAM1N	MULTIDYNE CAMERA BACK FIBER TRANSCEIVER - NEUTRIK OPTICALCON
FS-790TNG **NEW**	TACTICAL FIBER OPTIC SYSTEM FOR GY-HM890 CAMERA
FS-790PNVG **NEW**	POWERED FIBER OPTIC SYSTEMS FOR JVC GY-HM890 CAMERA (OpticalCON, IDX POWER WAFER)
FS-790PNAG **NEW**	POWERED FIBER OPTIC SYSTEMS FOR JVC GY-HM890 CAMERA (OpticalCON, AB POWER WAFER)
FS-790PSVG **NEW**	POWERED FIBER OPTIC SYSTEMS FOR JVC GY-HM890 CAMERA (SMPTE 304M, IDX POWER WAFER)
FS-790PSAG **NEW**	POWERED FIBER OPTIC SYSTEMS FOR JVC GY-HM890 CAMERA (SMPTE 304M, AB POWER WAFER)
FS-790SNVG **NEW**	POWERED SMPTE 311M FIBER OPTIC SYSTEMS FOR JVC GY-HM890 CAMERA (V-Mount PowerPlus)

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
FS-790SNG **NEW**	POWERED SMPTE 311M FIBER OPTIC SYSTEMS FOR JVC GY-HM890 CAMERA (AB PowerPlus)

Camcorders - Fiber CCU Accessories

Model	Description
FS-CABTAC500	500' Tactical Fiber Cable (OpticalCON) - Includes reel
FS-CABTAC1000	1000' Tactical Fiber Cable (OpticalCON) - Includes reel
FS-CABTAC2000	2000' Tactical Fiber Cable (OpticalCON) - Includes reel
FS-CABHYB100	100' SMPTE 311M Hybrid Cable (OpticalCON) - No reel
FS-CABHYB200	200' SMPTE 311M Hybrid Cable (OpticalCON) - No reel
FS-CABHYB500	500' SMPTE 311M Hybrid Cable (OpticalCON) - No reel
FS-CABHYB700	700' SMPTE 311M Hybrid Cable (OpticalCON) - No reel
FS-CABHYB100S	100' SMPTE 311M Hybrid Cable (SMPTE 304M) - No reel
FS-CABHYB200S	200' SMPTE 311M Hybrid Cable (SMPTE 304M) - No reel
FS-CABHYB500S	500' SMPTE 311M Hybrid Cable (SMPTE 304M) - No reel
FS-CABHYB700S	700' SMPTE 311M Hybrid Cable (SMPTE 304M) - No reel
PWRPLS3-12NEUAG	Power Plus Camera Side Power (150W, OpticalCon Dongle)
KA-PW790AG	Power Wafer (Anton/Bauer Mount)
KA-PW790VG	POWER WAFER (V-MOUNT)
FS-L-REEL	XL Reel - Holds: up to 800' hybrid fiber cable

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
FS-S-REEL	Small Reel - Holds: up to 200' hybrid fiber cable
DUO	OpticalCON Duo Fiber Coupler - Allows you extend the camera distance by joining multiple fiber tactical or hybrid cables - Weatherproof - Four integral copper conductors allow it to be used with SMPTE hybrid fiber cable to carry power - Works with all tactical and hybrid fiber cables offered by JVC
HDX-FR-2	HDX Rack Mount kit for two HDX units
HDX-2RCST	HDX 150W Power Supply with ST Connectors

PTZ - Cameras

Model	Description
KY-PZ100BU	ROBOTIC PTZ NETWORK VIDEO PRODUCTION CAMERA (BLACK)
KY-PZ100WU	ROBOTIC PTZ NETWORK VIDEO PRODUCTION CAMERA (WHITE)

PTZ - Controller

Model	Description
RM-LP100U	REMOTE CAMERA CONTROLLER

VTRs - Blu-ray Combo

Model	Description
SR-HD1350US	Blu-Ray/DVD Recorder with HDD - HDD Storage: 320GB - Input: Composite, S-Video, FireWire, USB 2.0, SDHC/SDXC (AVCHD) memory cards - Output: Composite, S-Video, Component, HDMI - Recordable Media: BD-R(SL/DL), BD-RE(SL/DL), DVD-R, DVD-RW
SR-HD2700US	Blu-Ray/DVD Recorder with HDD, Serial Control and HD-SDI - HDD Storage: 1TB - Control: RS-232 - Input: Composite, S-Video, FireWire, USB 2.0, HDMI, SDI (SD/HD), SDHC memory card - Output: Composite, S-Video, Component, HDMI - Recordable Media: BD-R(SL/DL), BD-RE(SL/DL), DVD-R, DVD-RW

Monitors & Displays - Field Monitors

Model	Description
DT-V17G25Z	16.5-INCH 10-BIT PRODUCTION FIELD/STUDIO MONITOR
DT-V17G2Z	16.5-INCH BROADCAST FIELD/STUDIO MONITOR

Pricing subject to change without notice.

Model	Description
DT-V9L5U	8.2" AC/DC Studio SDI LCD Monitor <ul style="list-style-type: none"> - Resolution: 1280 x 800 - Contrast Ratio: 800:1 - Brightness: 360cd/m2 - Inputs: Composite, Component, HDMI, SDI (SD/HD) - Features: Waveform & vectorscope, Area markers, In-monitor display - Includes AC Adapter
DT-F9L5U	8.2" AC/DC Studio SDI LCD Monitor/Viewfinder <ul style="list-style-type: none"> - Resolution: 1280 x 800 - Contrast Ratio: 800:1 - Brightness: 360cd/m2 - Inputs: Composite, Component, HDMI, SDI (SD/HD) - Features: Focus assist, Waveform & vectorscope, Area markers, In-monitor display - Includes Anton/Bauer battery plate
DT-N21F	ProHD 21.5-INCH BROADCAST STUDIO LCD MONITOR
DT-N17F	ProHD 17.3-INCH BROADCAST STUDIO LCD MONITOR
DT-N24F	ProHD 23.8-INCH BROADCAST STUDIO LCD MONITOR
DT-N17H	ProHD 17.3-INCH STUDIO/FIELD LCD MONITOR
DT-N21H	ProHD 21.5-INCH BROADCAST STUDIO LCD MONITOR
DT-N24H	ProHD 23.8-INCH STUDIO LCD MONITOR
DT-X71FI	7" AC/DC Studio SDI LCD Monitor <ul style="list-style-type: none"> - Resolution: 1024 x 600 - Contrast Ratio: 900:1 - Brightness: 400cd/m2 - Inputs: Composite, HDMI, SDI (3G/SD/HD) - Features: Waveform & vectorscope, Focus Assist, Audio Monitor
DT-X71HP	ProHD 7-in HD/C2K PORTABLE LCD MONITOR (HD-SDI, HDMI, COMPOSITE)

Monitors & Displays - Studio Monitors

Model	Description
DT-V21G2Z	21.5-INCH BROADCAST FIELD/STUDIO MONITOR

Monitors & Displays - Rackmounting Kits

Model	Description
RAK21LCDEV	Rack Mount Kit for DT-V21G11Z, DT-E21L4U
RAK24DTN	RACK MOUNT KIT FOR 24-INCH DTN SERIES ProHD MONITORS
RAK21LCDG2	RACK MOUNT KIT FOR DT-V21G2Z
RAK24LCDG2	RACK MOUNT KIT FOR DT-V24G2Z

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
RAK2024LCD	Rack Mount Kit for DT-V20L1, DT-V20LD1, DT-V20L3GZ, DT-V24L1, DT-V24LD1, DT-V24G11Z, DT-R24L4U
RAK17LCDGS	Rack Mount Kit for DT-V17G1Z, DT-E17L4GU
RAK15LCD	Rack Mount Kit for DT-E15L4U
RAK92LCD2	Rack Mount Kit for 2x DT-V9L5U
RAK72LCD	Rack Mount Kit for DT-X71C, DT-X71H, DT-X71F - Accommodates 1 or 2 monitors

Monitors & Displays - Accessories

Model	Description
ADPV16	AC Power Adapter For DT-F9I5U - 12 VDC (3.0A) via 4-pin XLR - Does NOT charge any battery that may be attached to monitor
DT-X71CASE	Monitor Case for DT-X71CI, DT-X71HI, DT-X71FI

Monitors & Displays - Studio Monitors

Model	Description
DT-X51Hx3	Triple 5" AC/DC LCD Rackmount Monitor - Resolution: 800 x 400 - Contrast Ratio: 500:1 - Brightness: 350cd/m2 - Inputs: Composite, HDMI, SDI (SD/HD/3G) - Features: Underscan / overscan, Safe area marker, Zoom-in functionality (pix to pix), Image flip, Front Tally lights (via RJ-45 connectors), Easy menu-driven setup

Monitors & Displays - Accessories

Model	Description
DT-X91CASE	Monitor Case for DT-X91C, DT-X91H, DT-X91F
HOOD17LCD	Monitor Hood for DT-V17LxDU Series

Monitors & Displays - Studio Monitors

Model	Description
DT-X71Hx2	Dual 7" AC/DC Studio SDI LCD Rackmount Monitor - Resolution: 1024 x 768 - Contrast Ratio: 900:1 - Brightness: 400cd/m2 - Inputs: Composite, HDMI, SDI (SD/HD/3G) - Features: Underscan / overscan, Safe area marker, Zoom-in functionality (pix to pix), Image flip, Front Tally lights (via RJ-45 connectors), Easy menu-driven setup
DT-X73F	ProHD 7-INCH LCD VF MONITOR

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Monitors & Displays - Accessories

Model	Description
DT-TS100	Deluxe LCD Monitor Stand

Monitors & Displays - Studio Monitors

Model	Description
DT-X92HX2	Affordable 3-in-1 monitor Triple 5" Rack Display Monitor
DT-X92H	8.9" AC/DC Portable Monitor Full HD 3GSDI, HDMI (Gold Mount, IDX50 plate, S-7104 cable included)
DT-X93H	ProHD 9-INCH FULL HD 3GSDI & HDMI LCD MONITOR
DT-E17L4GU	17" AC/DC Studio LED/LCD Monitor - Resolution: 1920 x 1080 - Inputs: Composite, Component, Analog RGB, HDMI, HD/SD-SDI - Outputs: Composite, HD/SD-SDI - Features: Mercury-free LED backlight, 16-channel embedded audio with level indicator, Area/Center / Safety marker, LTC & VITC time code support

Monitors & Displays - Accessories

Model	Description
V1-16T22M43I	Veydra Mini Prime 16mm MFT Lens T2.2
V1-12T22M43I	VEYDRA MINI PRIME 12mm MFT LENS T2.2
V1-25T22M43I	VEYDRA MINI PRIME 25mm MFT LENS T2.2
V1-43RLC	MFT Mini Prime Rear Lens Cap
V1-35T22M43I	VEYDRA MINI PRIME 35mm MFT LENS T2.2
V1-6CASE	Veydra 6 Lens Hard Case Seahorse SE-720 with 6 Lens Custom Foam insert
V1-50T22M43I	VEYDRA MINI PRIME 50mm MFT LENS T2.2
V1-77FLC	MFT Mini Prime Front Lens Cap 77mm

Monitors & Displays - Option Cards

Model	Description
J-805MX	SINGLE STAGE TRIPOD w/11lb. PAYLOAD

Cameras & Camcorders - Viewfinders & Accessories

Model	Description
SAK-LCD7	VIEWFINDER BRACKET FOR THE DT-X73F MONITOR

Cameras & Camcorders - AC Adapters, Chargers & Batteries

Pricing subject to change without notice.

Model	Description
P-22MX	2-STAGE TRIPOD w/13 lb. PAYLOAD

Monitors & Displays - Basic AV / Computer Monitor

Model	Description
MB_EF-m43-BM1 **NEW** Order SKU #MBEFM43BM1	METABONES LENS ADAPTER (CANON EF to MFT)
MB_NFG-m43-BM1 **NEW** Order SKU #MBNFGM43BM1	METABONES LENS ADAPTER (NIKON G to MFT)
MB_PL-m43-BM1 **NEW** Order SKU #MBPLM43BM1	METABONES LENS ADAPTER (PL to MFT)

Monitors & Displays - Professional HDTV Monitors

Model	Description
DT-V24G2Z	24-INCH 10-BIT STUDIO MONITOR

Monitors & Displays - AC Adapters, Chargers & Batteries

Model	Description
A-RK22	RACK MOUNT FOR DT-X21H

Cameras & Camcorders - AC Adapters, Chargers & Batteries

Model	Description
AB-DIONIC-PKG2	ANTON BAUER DIONIC HC BATTERY & CHARGER