

Retail Pricing
Pricing subject to change without notice.

-

Model	Description
R2-4300-ST	REAR I/O MODULE FOR HD-4300 OPENGEAR CARDS
A-VS16	DESKTOP BRACKET WITH TILTING FUNCTION FOR DT-N17F / DT-X16H
A-VS22	DESKTOP BRACKET WITH TILTING FUNCTION FOR DT-N21F/DT-N24F/DT-X21H/DT-X24H
RP-VDA-STD	REAR I/O MODULE FOR VDA-2419
VDA-2419	3G/HD/SD DISTRIBUTION AMPLIFIER CARD
WB-MAP100A	WIRELESS BRIDGE MOBILE ACCESS POINT

Camcorders - Lenses & Accessories

Model	Description
XT17SX45BMD	Fujinon 17:1 Remote Zoom/Focus Lens (1/3") - Focal length: 4.5 to 77mm
XT20sx47BRM	Fujinon 20:1 ENG Zoom Lens (1/3") - Focal length: 4.7 to 94mm
KT14X44KRS	Canon 14:1 HDgc Zoom Lens (1/3")
HZ-HM600VZR	Remote Lens Control for GY-HM600U, GY-HM650U - Plugs into the 2.5mm remote (LAN-C/Control-L) connector on the camera, and is ideal when operating the camcorder using a tripod, jib, crane or boom (a 2.5mm extension cable may be required depending on distances from camcorder) - Zoom is achieved via a wide sweep variable rocker control - Focus is on the right side and is a rocker style control for manual focus - Iris control is achieved through two separate controls to either increase or decrease the lens iris - On the top right is the "R" button to manually control record start / stop function
HZ-HM800VZRKIT	VARIZOOM REAR CONTROL KIT FOR FUJINON 20X AF LENS
MS-11	Fujinon Focus & Zoom Servo Kit
HZ-ZS13U	Servo Zoom Control
I-705DX	2-STAGE TRIPOD w/11lb. PAYLOAD
CS-482M	Tripod - Two-Stage with 11 lb. Payload Includes: Mid Level Spreader, 2x Handles, Carrying Case
HZ-FM13U	Manual Focus Control for Fujinon Lenses
HZ-FM15U	Manual Focus Control for Canon Lenses

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
HM600WC8X72HU	0.8x Wide Angle Converter for GY-HM600U, GY-HM650U, GY-HM850, GY-HM790 - 72mm threading - Includes: Sunshade hood
ACM-17	2/3" Lens Mount Converter - Allows standard 2/3" lenses to be used with 1/3" bayonet mount camcorders

Camcorders - Tripds & Adapters

Model	Description
KA-551U	Tripod Adapter
ACEXLFT75	SACHTLER TRIPOD SYSTEM
Ace-LMSCF	Sachtler Carbon Fiber Tripod with Fluid Head, Mid-level Spreader and Carry Bag

-

Model	Description
QAN0067-003	Mic Kit

Camcorders - AC Adapters, Chargers & Batteries

Model	Description
VL-2PLUS	IDX 2-Channel Sequential Quick Charger with 60W AC Adaptor - Includes: CA4XLR Power Supply Cable
JVC-PV	IDX ENDURA V-Mount Battery Plate with Two-Pin D-Tap DC Output and Digi-View - Custom Version for JVC ProHD GY-HM200 and GY-HM700 Series Camcorders
SSL-JVC50	IDX Lithium Ion Battery for GY-HMQ10, GY-HM600, GY-HM650 - 7.4 V / 4900mAh / 37 Wh
SSL-JVC75	IDX Lithium Ion Battery for GY-HM600, GY-HM650, GY-HMQ10, DT-X Monitors - 7.4 V / 7.35Ah / 55 Wh
LC-2J	2-Channel Battery Charger for SSL-JVC50
TC-200-JVC600-TDM	Dual Turbo Charger with Discharge Feature for SSL-JVC50, SSL-JVC75 - Fast, safe and Simultaneous charge for up to 2 batteries at a time - Includes charge-discharge-charge test mode.
TC-200-JVC600	Dual Turbo Charger for SSL-JVC50, SSL-JVC75 - Fast, safe and Simultaneous charge for up to 2 batteries at a time

Pricing subject to change without notice.

Model	Description
TC-400-JVC650	Quad Battery Turbo Charger for SSL-JVC50 <ul style="list-style-type: none"> - Digital LCD display indicates the battery pack capacity, if fully discharged before insertion - Each of the 4 channels is fully independent, batteries can be inserted/removed at any time - Worldwide 100-240V AC or 12V DC car power
TC-400-JVC650-TDM	Quad Battery Turbo Charger for SSL-JVC50 (Test-Discharge Model) <ul style="list-style-type: none"> - Digital LCD display indicates the battery pack capacity, if fully discharged before insertion - Each of the 4 channels is fully independent, batteries can be inserted/removed at any time - A built-in Battery Test/Discharge Module cycles the pack through charge-discharge-charge, reports true capacity as tested - Worldwide 100-240V AC or 12V DC car power
AA-S3602I	2 Channel AC Adapter / Battery Charger for BN-S8I50, SSL-JVC50 <ul style="list-style-type: none"> - Capable of powering up to 2 JVC camcorders or DT-X series monitors
BN-S8823	Lithium Ion Battery for GY-HM100, GY-HM150, GY-HM70 <ul style="list-style-type: none"> - 7.2 V / 18.7 Wh - 4-Level LED indicator - 7.2V Pole DC output socket to power camera and other devices simultaneously
BN-S8I50	7.2v/6.6ah Lithium Ion Battery For Gy-Hm600/650, Dt-X Monitors
AA-S3602V	2-Channel Battery Charger / AC Adapter for BN-S8823
IA-70A **NEW**	IDX 70W AC ADAPTER POWER SUPPLY
TANDEM70	Anton Bauer 70W AC Power Supply / Charger

Camcorders - Cases

Model	Description
D-3	DOLLY - HEAVY DUTY w/110 LB. PAYLOAD
D-1	DOLLY - LIGHT DUTY w/66 LB. PAYLOAD
CTC-600BSR	Carry Case with Fitted Raincover for GY-HM600, GY-HM650
CB800	Thermodyne Hard Shipping Case for GY-HM700, GY-HM750, GY-HM790, GY-HM850, GY-HM890 <ul style="list-style-type: none"> - Comes with removable foam inserts for customizing the space to multiple lensing configurations - Has provisions for the KA-551U tripod adapter plate and other accessories such as Anton Bauer and IDX batteries, and Anton Bauer Tandem 70 charger/power supply
CT-C800BSW	PortaBrace Travel Camera Case for GY-HM790, GY-HM850, GY-HM90 <ul style="list-style-type: none"> - Rigid frame ENG-style camera case with removable off-road wheels designed - The sturdy removable wheel system means there's no need to carry around a trolley - Padded dividers are included help secure the camera and create compartments for accessories - A camera tie-down strap is also included to further secure the camera during transport - A lens pillow is also included to support the camera lens during transportation - 2 large exterior pockets ideal for carrying tablet computers, microphones, cables, spare batteries and other accessories

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
CTC-700BS	Portabrace Soft Case For ProHD Compact Shoulder Cameras - Designed for GY-HD200B, GY-HD250B, GY-HM700U, GY-HM790U, GY-HM860U, GY-HM890U - Will accommodate the camera and mounted accessories including a long lens, IDX or Anton Bauer battery, KA-MR100 - SxS Media Recorder and microphone.

Camcorders - Accessory

Model	Description
CA-UP600	Wireless Mic Receiver Bracket for GY-HM600U, GY-HM650U - Includes plate and mounting screws
CAXX-0.1P2S-STLC	DUAL LC-to-ST JUMPER CABLE

Camcorders - Studio CCU Accessories

Model	Description
VC-DHP112MO	Camera/Remote Hybrid Cable (20m)
VC-DHP113MO	Camera/Remote Hybrid Cable (50m)
VC-DHP114MO	Camera/Remote Hybrid Cable (100m)
VC-HP112U	Multicore hybrid cable (20m) without SDI (for RM-HP790DU)
VC-HP113U	Camera/Remote Hybrid Cable for RM-HP790DU (50m)
VC-HP114U	Camera/Remote Hybrid Cable for RM-HP790DU (100m)

PTZ - Cameras

Model	Description
KY-PZ100BU	ROBOTIC PTZ NETWORK VIDEO PRODUCTION CAMERA (BLACK)
KY-PZ100WU	ROBOTIC PTZ NETWORK VIDEO PRODUCTION CAMERA (WHITE)

VTRs - Blu-ray Combo

Model	Description
SR-HD1350US	Blu-Ray/DVD Recorder with HDD - HDD Storage: 320GB - Input: Composite, S-Video, FireWire, USB 2.0, SDHC/SDXC (AVCHD) memory cards - Output: Composite, S-Video, Component, HDMI - Recordable Media: BD-R(SL/DL), BD-RE(SL/DL), DVD-R, DVD-RW

Monitors & Displays - Field Monitors

Model	Description
DT-V17G25Z	16.5-INCH 10-BIT PRODUCTION FIELD/STUDIO MONITOR

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
DT-V17G2Z	16.5-INCH BROADCAST FIELD/STUDIO MONITOR
DT-V9L5U	8.2" AC/DC Studio SDI LCD Monitor <ul style="list-style-type: none"> - Resolution: 1280 x 800 - Contrast Ratio: 800:1 - Brightness: 360cd/m2 - Inputs: Composite, Component, HDMI, SDI (SD/HD) - Features: Waveform & vectorscope, Area markers, In-monitor display - Includes AC Adapter
DT-F9L5U	8.2" AC/DC Studio SDI LCD Monitor/Viewfinder <ul style="list-style-type: none"> - Resolution: 1280 x 800 - Contrast Ratio: 800:1 - Brightness: 360cd/m2 - Inputs: Composite, Component, HDMI, SDI (SD/HD) - Features: Focus assist, Waveform & vectorscope, Area markers, In-monitor display - Includes Anton/Bauer battery plate
DT-N21F	ProHD 21.5-INCH BROADCAST STUDIO LCD MONITOR
DT-N17F	ProHD 17.3-INCH BROADCAST STUDIO LCD MONITOR
DT-N24F	ProHD 23.8-INCH BROADCAST STUDIO LCD MONITOR
DT-N17H	ProHD 17.3-INCH STUDIO/FIELD LCD MONITOR
DT-N21H	ProHD 21.5-INCH BROADCAST STUDIO LCD MONITOR
DT-N24H	ProHD 23.8-INCH STUDIO LCD MONITOR
DT-X71FI	7" AC/DC Studio SDI LCD Monitor <ul style="list-style-type: none"> - Resolution: 1024 x 600 - Contrast Ratio: 900:1 - Brightness: 400cd/m2 - Inputs: Composite, HDMI, SDI (3G/SD/HD) - Features: Waveform & vectorscope, Focus Assist, Audio Monitor
DT-X71HP	ProHD 7-in HD/C2K PORTABLE LCD MONITOR (HD-SDI, HDMI, COMPOSITE)

Monitors & Displays - Studio Monitors

Model	Description
DT-V21G2Z	21.5-INCH BROADCAST FIELD/STUDIO MONITOR

Monitors & Displays - Rackmounting Kits

Model	Description
RAK21LCDEV	Rack Mount Kit for DT-V21G11Z, DT-E21L4U
RAK24DTN	RACK MOUNT KIT FOR 24-INCH DTN SERIES ProHD MONITORS
RAK21LCDG2	RACK MOUNT KIT FOR DT-V21G2Z

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
RAK24LCDG2	RACK MOUNT KIT FOR DT-V24G2Z
RAK2024LCD	Rack Mount Kit for DT-V20L1, DT-V20LD1, DT-V20L3GZ, DT-V24L1, DT-V24LD1, DT-V24G11Z, DT-R24L4U
RAK17LCDGS	Rack Mount Kit for DT-V17G1Z, DT-E17L4GU
RAK15LCD	Rack Mount Kit for DT-E15L4U
RAK92LCD2	Rack Mount Kit for 2x DT-V9L5U
RAK72LCD	Rack Mount Kit for DT-X71C, DT-X71H, DT-X71F - Accommodates 1 or 2 monitors

Monitors & Displays - Accessories

Model	Description
ADPV16	AC Power Adapter For DT-F9I5U - 12 VDC (3.0A) via 4-pin XLR - Does NOT charge any battery that may be attached to monitor
DT-X91CASE	Monitor Case for DT-X91C, DT-X91H, DT-X91F
HOOD17LCD	Monitor Hood for DT-V17LxDU Series
DT-TS100	Deluxe LCD Monitor Stand

Monitors & Displays - Studio Monitors

Model	Description
DT-X92HX2	Affordable 3-in-1 monitor Triple 5" Rack Display Monitor
DT-X92H	8.9" AC/DC Portable Monitor Full HD 3GSDI, HDMI (Gold Mount, IDX50 plate, S-7104 cable included)
DT-X93H	ProHD 9-INCH FULL HD 3GSDI & HDMI LCD MONITOR
DT-X93HX2	ProHD DUAL 9-IN RACK DISPLAY MONITOR (3G-SDI, HDMI, COMPOSITE)
DT-E17L4GU	17" AC/DC Studio LED/LCD Monitor - Resolution: 1920 x 1080 - Inputs: Composite, Component, Analog RGB, HDMI, HD/SD-SDI - Outputs: Composite, HD/SD-SDI - Features: Mercury-free LED backlight, 16-channel embedded audio with level indicator, Area/Center / Safety marker, LTC & VITC time code support

Monitors & Displays - Option Cards

Model	Description
J-805MX	SINGLE STAGE TRIPOD w/11lb. PAYLOAD

Cameras & Camcorders - Switchers

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Panasonic's compact, multi-format HD/SD and SD switchers seamlessly integrate into your existing workflow and are perfect for the demands of sports, events, education, production and more.

Model	Description
KM-IP4000 **NEW**	ProHD STUDIO 4000 - LIVE PRODUCTION AND STREAMING STUDIO
KM-IP4000S **NEW**	ProHD STUDIO 4000S - SPORTS PRODUCTION AND STREAMING STUDIO

Cameras & Camcorders - SD Camcorders

Model	Description
GY-HC900C20	CONNECTED CAM 2/3-IN BROADCAST CAMCORDER W/CANON 20X LENS
GY-HC900CHU	CONNECTED CAM 2/3-IN BROADCAST CAMCORDER (LESS LENS)

Cameras & Camcorders - Viewfinders & Accessories

Model	Description
SAK-LCD7	VIEWFINDER BRACKET FOR THE DT-X73F MONITOR

Cameras & Camcorders - AC Adapters, Chargers & Batteries

Model	Description
P-22MX	2-STAGE TRIPOD w/13 lb. PAYLOAD

Monitors & Displays - Basic AV / Computer Monitor

Model	Description
MB_EF-m43-BM1 Order SKU #MBEFM43BM1	METABONES LENS ADAPTER (CANON EF to MFT)
MB_NFG-m43-BM1 Order SKU #MBNFGM43BM1	METABONES LENS ADAPTER (NIKON G to MFT)
MB_PL-m43-BM1 Order SKU #MBPLM43BM1	METABONES LENS ADAPTER (PL to MFT)

Monitors & Displays - Professional HDTV Monitors

Model	Description
DT-V24G2Z	24-INCH 10-BIT STUDIO MONITOR

Monitors & Displays - AC Adapters, Chargers & Batteries

Model	Description
A-RK22	RACK MOUNT FOR DT-X21H

Cameras & Camcorders - AC Adapters, Chargers & Batteries

Model	Description
AB-DIONIC-PKG2	ANTON BAUER DIONIC HC BATTERY & CHARGER



Pricing subject to change without notice.

-

Model	Description
WMPZ100B	WALL MOUNT BRACKET KIT FOR KY-PZ100B (BLACK)
WMPZ100W	WALL MOUNT BRACKET KIT FOR KY-PZ100W (WHITE)